

A

A

B

B

C


C

D

D

MCC series FRP tower's CWB heater				
CT Model	-10°C	-20°C	-30°C	-40°C
	kw x No.	kw x No.	kw x No.	kw x No.
MCC-01	5kw x 1	7kw x 1	10kw x 1	12kw x 1
MCC-02	5kw x 1	10kw x 1	12kw x 1	8kw x 2
MCC-03	7kw x 1	12kw x 1	10kw x 2	11kw x 2
MCC-04	5kw x 1	10kw x 1	12kw x 1	8kw x 2
MCC-05	7kw x 1	11kw x 1	8kw x 2	10kw x 2
MCC-06	10kw x 1	8kw x 2	11kw x 2	10kw x 3
MCC-07	11kw x 1	10kw x 2	10kw x 3	11kw x 3
MCC-08	7kw x 2	12kw x 2	11kw x 3	11kw x 4
MCC-09	8kw x 2	10kw x 3	10kw x 4	10kw x 5
MCC-10	8kw x 2	10kw x 3	10kw x 4	10kw x 5
MCC-11	10kw x 2	10kw x 3	11kw x 4	11kw x 5
MCC-12	5kw x 1	10kw x 1	12kw x 1	8kw x 2
MCC-13	5kw x 1	10kw x 1	12kw x 1	8kw x 2
MCC-14	7kw x 1	10kw x 1	7kw x 2	10kw x 2
MCC-LT-01	10kw x 1	8kw x 2	11kw x 2	10kw x 3
MCC-LT-02	10kw x 1	8kw x 2	11kw x 2	10kw x 3
MCC-LT-03	10kw x 1	8kw x 2	11kw x 2	10kw x 3
MCC-LT-04	10kw x 1	8kw x 2	11kw x 2	10kw x 3
MCC-LT-05	7kw x 2	11kw x 2	11kw x 3	10kw x 4
MCC-LT-06	7kw x 2	12kw x 2	11kw x 3	11kw x 4
Remark	The heating elements are dimensioned to guarantee a minimum temperature of 4°C.(The table lists the powers calculated based on the outdoor temperature.)			

MCC series Metal tower's CWB heater				
CT Model	-10°C	-20°C	-30°C	-40°C
	kw x No.	kw x No.	kw x No.	kw x No.
MCC-01	5kw x 1	7kw x 1	10kw x 1	7kw x 2
MCC-02	7kw x 1	10kw x 1	7kw x 2	10kw x 2
MCC-03	8kw x 1	7kw x 2	10kw x 2	12kw x 2
MCC-04	7kw x 1	10kw x 1	7kw x 2	10kw x 2
MCC-05	7kw x 1	11kw x 1	8kw x 2	10kw x 2
MCC-06	10kw x 1	8kw x 2	11kw x 2	10kw x 3
MCC-07	10kw x 1	10kw x 2	12kw x 2	10kw x 3
MCC-08	7kw x 2	12kw x 2	11kw x 3	22kw x 2
MCC-09	8kw x 2	10kw x 3	20kw x 2	18kw x 3
MCC-10	8kw x 2	10kw x 3	20kw x 2	18kw x 3
MCC-11	10kw x 2	11kw x 3	22kw x 2	20kw x 3
MCC-12	7kw x 1	10kw x 1	8kw x 2	10kw x 2
MCC-13	7kw x 1	10kw x 1	8kw x 2	10kw x 2
MCC-14	7kw x 1	10kw x 1	8kw x 2	10kw x 2
MCC-LT-01	10kw x 1	10kw x 2	12kw x 2	10kw x 3
MCC-LT-02	10kw x 1	10kw x 2	12kw x 2	11kw x 3
MCC-LT-03	10kw x 1	10kw x 2	11kw x 2	10kw x 3
MCC-LT-04	10kw x 1	10kw x 2	12kw x 2	10kw x 3
MCC-LT-05	7kw x 2	10kw x 3	12kw x 3	15kw x 3
MCC-LT-06	7kw x 2	10kw x 3	12kw x 3	16kw x 3
Remark	The heating elements are dimensioned to guarantee a minimum temperature of 4°C.(The table lists the powers calculated based on the outdoor temperature.)			



Drawn By:	Designed By:	Checked By:	Approved By:	Title:	CWB Heater	
Vincent	Vincent	Isa	Isa	Project / Model:		
	Scale:	Revision:	Date:	Drawing No.:		
	NTS	01	2015-09-01			